Some three students: Towards a unified account of some

Stephanie Solt (Leibniz-ZAS) and Jon Stevens (Ohio State University)

OVERVIEW: This paper investigates the semantics of the *some*+numeral construction exemplified in (1), proposing an analysis that aligns this some to ordinary indefinite some, and sheds light on certain aspects of the behavior of the latter.

Some 20 cars were involved in the accident.

Data: In addition to the cardinality use illustrated in (1), some can occur with a variety of measure expressions, including amounts in the mass domain (2), spatial and temporal extents (3)-(4), and certain adjectival measures (5). However, not all numerical expressions are possible, a notable exception being temporal designators, as in (6)-(7). The generalization is that *some* is possible with all and only those numerical expressions that can be interpreted as sets of individuals of some sort.

(2) some 5 ounces of gold

- (5) some 5 feet long / longer
- (3) The tree is some 10 feet from the house. (6) *Sue was born in some 1989.
- (4) Sue sang for some 45 minutes.
- (7) *The meeting was at some 3 o'clock.

Some+n has an approximative interpretation for many speakers, which has prompted analyses that treat it on par with approximators such as about (Sauerland & Stateva 2007; Anderson 2014). However corpus examples such as the following (COCA; Davies 2008-), in which an exact interpretation is clearly intended, show that some on its numerical usage cannot be inherently approximative. We report experimental findings that some but not all speakers have the approximative reading.

(8) Of some 206 students who responded to the survey, 52% were female.

Some+n also differs from true approximators in not having a pure degree interpretation: it is infelicitous in mathematical statements and as the answer to *how many* questions:

- (9)How many students passed the test? 10 / about 10 / ??some 10
- Six times seventeen is about 100 / roughly 100 / ??some 100 (10)

Analysis: We follow Rothstein (2012, 2017) in taking number words to have interpretations as both predicates and arguments. In its predicative instantiation, three denotes the equivalence class of entities composed of three atoms; its argument interpretation (type n) is derived via nominalization of this predicate, creating a duality parallel to that proposed for kind expressions (Chierchia 1998; see also Scontras 2017).

(11)
$$[three_{\langle et \rangle}] = \{x: |x| = 3\}$$
 (12) $[three_n] = \cap \{x: |x| = 3\}$

Turning to some, we draw on recent proposals that indefinite determiners manipulate domains of quantification (Kratzer & Shimoyama 2002; Alonso-Ovalle & Menéndez-Benito 2010, 2011) and propose that some – on all its uses – encodes a variable f over functions from sets (domains) to sets (see also Anderson 2014 for a related proposal). Departing from the above literature, we assume a non-quantificational approach in which this function is the sole content of some; quantificational force when present arises via existential closure.

(13)
$$[some_{\langle at,at\rangle}] = \lambda P_{\langle at\rangle} \lambda x_a. f(P)(x)$$

On its indefinite use (e.g. some student(s)), some takes the nominal as argument. In the *some*+*n* construction, it composes with the numeral on its predicative interpretation:

- (14) a. $[some\ twenty] = [some]([twenty]) = \lambda x.x \in f(\{y:|y|=20\})$ b. $[some\ twenty\ cars] = \lambda x.x \in f(\{y:|y|=20\}) \&\ cars(x)$
- (15) [(1)] = 1 iff $\exists x [x \in f(\{y:|y|=20\}) \& cars(x) \& involved-in-accident(x)]$

The varying interpretations of some+n can then be traced to the value assigned to the function f. The exact interpretation arises when f is interpreted as a subset function (i.e. $f(P) \subseteq P$); the result is truth-conditionally indistinguishable from the corresponding sentence without some, but has an emphatic effect, for which we provide a pragmatic analysis. The approximate reading (for speakers who have it) obtains when f expands the set to include pluralities of cardinality close to n.

The other felicitous examples (2)-(5) can be analyzed similarly to (1). In (2), *some* operates on the equivalence class of portions of matter weighing 5 ounces. In (3), the relevant set is a set of spatial vectors (Zwarts & Winter 2000), per (16); a vector-based analysis can also be applied to adjectival cases such as (5). Finally, (4) involves a set of temporal intervals t (Krifka 1989), per (17).

- (16) $\exists v[v \in f(\{v': |v'|=10 \text{ ft}\}) \& \text{ start}(v,\text{the house}) \& \text{ end}(v,\text{the tree})]$
- (17) $\exists e[singing(e) \& Agent(e,Sue) \& \tau(e) \in f(\{t: 45-minutes(t)\})], \text{ where } \tau = \text{runtime}$

By contrast, expressions such as 1989 and 3 o'clock cannot be construed as denoting sets over which *some* can operate, but instead refer directly to points or intervals on the time line; hence the infelicity of (6) and (7).

The present analysis also accounts for the infelicity of (9) and (10) with *some*: these contexts require the argument interpretation of the number word (Rothstein 2012), whereas to compose with *some*, the predicative interpretation is required.

Extensions to 'ordinary' *some***:** It has been observed that *some* $N_{singular}$ yields an ignorance effect, while $some N_{plural}$ does not. Some+n patterns with the plural case:

- (18) a. Some student called. #It was John.
 - b. Some students called John, Sue and Ann.
 - c. Some three students called John, Sue and Ann.

Alonso-Ovalle & Menéndez-Benito (2011) account for a similar singular/plural asymmetry with Spanish alguno(s) 'some' by proposing that the function f lexicalized by the indefinite determiner satisfies an anti-singleton constraint (f(P) is a non-singleton set). In the singular case, an ignorance inference is derived via pragmatic reasoning about singleton-domain alternatives. In the plural case, there are no acceptable alternatives, so no implicature is generated. This analysis extends to singular some and (with some additional assumptions) its plural counterpart. It also correctly predicts the absence of ignorance effects with some+n. (18c) expresses the proposition (19a). Its alternatives would be of form (19b). However, each such proposition is equivalent to one of the form (19a) (which could have been the one intended by the speaker). E.g., if f in (19b) picks out a singleton set containing the triple of students $j \oplus s \oplus a$, the resulting proposition is equivalent to one of the form (19a) in which f picks out the non-singleton set containing $j \oplus s \oplus a$ plus some triple(s) of non-students. As with plural algunos, there are thus no acceptable alternatives, so no ignorance effect arises. Thus the same mechanism that explains the distribution and interpretation of some+n (the function f) also accounts for the varying pattern of ignorance effects with *some* more generally.

```
(19) a. \Box_w \exists x [x \in f(\llbracket three \rrbracket) \& students(x) \& called_w(x)], \text{ where } |f(\llbracket three \rrbracket)| > 1
b. \Box_w \exists x [x \in f(\llbracket three \rrbracket) \& students(x) \& called_w(x)], \text{ where } |f(\llbracket three \rrbracket)| = 1
```

The present approach to *some* also explains its non-occurrence in characterizing generics and kind reference (e.g. (#some) dogs bark; (#some) dinosaurs are extinct). These may be analyzed as involving the kind (argument) interpretation of the noun phrase (Chierchia 1998); but *some* must compose with the nominal on its predicative type. This is essentially the nominal equivalent of the degree-reference case in (9)-(10), and further demonstrates the parallel operation of *some* in the two domains.

References

- Alonso-Ovalle, Luis, and Paula Menéndez-Benito. 2010. Modal indefinites. *Natural Language Semantics* 18:1-31.
- Alonso-Ovalle, Luis, and Paula Menéndez-Benito. 2011. Plural epistemic indefinites. In *Proceedings of NELS 40*, ed. Seda Kan, Claire Moore-Cantwell, and Robert Staubs, 17-30. UMass.
- Anderson, Curt. 2014. Approximation of complex cardinals using *some*. In *Proceedings* of WECOL 2013, 131-143.
- Chierchia, Gennaro. 1998. Reference to kinds across languages. *Natural Language Semantics* 6: 339-405
- Davies, Mark. 2008-. The Corpus of Contemporary American English (COCA): 450 million words, 1990-present. Available online at http://corpus.byu.edu/coca/.
- Kratzer, Angelika, and Junko Shimoyama. 2002. Indeterminate pronouns: The view from Japanese. *In Proceedings of the 3rd Tokyo Conference on Psycholinguistics*, ed. Y. Otsu, 1-25. Tokyo: Hituzi Syobo.
- Krifka, Manfred. 1989. Nominal reference, temporal constitution and quantification in event semantics. In *Semantics and contextual expressions*, ed. Renate Bartsch, Johan van Benthem, and Peter von Emde Boas, 75-115. Dordrecht: Foris.
- Rothstein, Susan. 2012. Numericals: Counting, measuring and classifying. In *Proceedings of Sinn und Bedeutung* 16, ed. Ana Aguilar-Guevara, Anna Chernilovskaya and Rick Nouwen, 527-543. Cambridge, MA: MITWPL.
- Rothstein, Susan. 2017. *Semantics for Counting and Measuring*. Cambridge University Press: Cambridge.
- Sauerland, Uli, and Penka Stateva. 2007. Scalar vs. epistemic vagueness: evidence from approximators. In *Proceedings of Semantics and Linguistic Theory (SALT) 17*, ed. Masayuki Gibson & Tova Friedman, 228–245. Ithaca, NY: CLC Publications.
- Scontras, Greg. 2017. A new kind of degree. Linguistics and Philosophy 40:165-205.
- Zwarts, Joost, and Yoad Winter. 2000. Vector space semantics: a model-theoretic analysis of locative prepositions. *Journal of Logic, Language and Information* 9:169-211.